



SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Super D Dry Powder Extinguisher
Other Identifiers: Class D Powder, Sodium Chloride
Product Code(s): CH 545, CH 557
Model Codes(s) on Extinguishers: 570, 680
Recommended Use: Fire extinguishant for metal fires
 Not for human or animal drug use.
Manufacturer: AMEREX CORPORATION
Internet Address: www.amerex-fire.com
Address: 7595 Gadsden Highway, P.O. Box 81
 Trussville, AL 35173-0081
Company Telephone: (205) 655-3271
E-mail Address: info@amerex-fire.com
Emergency Contacts: Chemtrec 1(800) 424-9300 or
 (703) 527-3887
Revised: January 2015

Section 2. HAZARDS IDENTIFICATION

GHS – Classification

Health	Environmental	Physical
Acute Toxicity: Category 5	None	None
Skin Corrosion/Irritation: Category 3	None	None
Skin Sensitization: NO	None	Warning
Eye: Category 2B	None	Warning
Carcinogen: Category None	None	None

GHS – Label Symbol(s): None

GHS – Signal Word(s): **Warning**

Other Hazards Not Resulting in Classification: None

GHS – Hazard Phrases

GHS Hazard	GHS Codes(s)	Code Phrase(s)
Physical	None	
Health	H303 313 320 333	May be harmful if swallowed May be harmful in contact with skin Causes eye irritation May be harmful if inhaled
Environmental	None	
Precautionary:		
General	P101 102	If medical advice is needed, have product container or label at hand Keep out of reach of children
Prevention	234 251 261 264 270 281 285	Keep in original container Pressurized container; do not pierce or burn, even after use Avoid breathing dust Wash hands and face thoroughly after handling Do not eat, drink, or smoke when using this product Use personal protective equipment as required In case of inadequate ventilation, wear respiratory protection
Response	P301+322+331+313 302+353 304+341 305+351+338 306+362 308+313 337+313	If swallowed drink plenty of water; do not induce vomiting; seek medical advice If on skin, rinse with water/shower If inhaled, if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do, and continue to rinse If on clothing/shoes, remove clothing/shoes; wash/clean before reuse If exposed or concerned, get medical advice/attention If eye irritation persists; get medical advice/attention
Storage	P401+402+403	Store in original container or extinguisher in a dry, well ventilated place

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	EC No.	REACH Reg. No.	CAS-No.	Weight %
Sodium chloride evaporated flour grade	231-598-3	NA	7647-14-5	87
Fullers earth magnesium aluminum silicate	NA	Not Available	8031-18-3	4.2
Mica- potassium aluminum silicate	NA	Not Available	12001-26-2	4.2
Zeolite, synthetic amorphous precipitated silica	NA	Not Available	112926-00-8	2.1
Silica, amorphous, fumed	NA	Not Available	69012-64-2	<2
Magnesium stearate octadecanoic acid, Mg salt	228-767-9	Not Available	557-04-0	<1

Emergency overview:

Light purple, fine solid powder, odorless.

Adverse health effects and symptoms:

Possibly a mild irritant to the respiratory system and eyes; mild irritant to the skin. Symptoms may include coughing, shortness of breath, and irritation of the lungs, eyes, and skin. Ingestion, although unlikely, may cause gastric distress.

Cut-off Levels

Chemical Name	Reproductive Toxicity	Carcinogenicity	Mutagenicity	Other Hazard Classes
Sodium chloride evaporated flour grade	NA	NA	NA	NA
Fullers earth magnesium aluminum silicate	NA	NA	NA	NA
Mica-potassium aluminum silicate				
Zeolite, synthetic amorphous precipitated silica	NA	NA	NA	NA
Silica, amorphous, fumed	NA	NA	NA	NA
Magnesium stearate octadecanoic acid, Mg salt	NA	NA	NA	NA

Section 4. FIRST AID MEASURES

Eye Exposure:

May cause irritation. Irrigate eyes with water and repeat until pain free. Seek medical attention if irritation develops, or if vision changes occur.

Skin Exposure:

May cause skin irritation. In case of contact, rinse with plenty of water. Seek medical attention if irritation persists.

Inhalation:

May cause irritation, along with coughing. If respiratory irritation or distress occurs remove victim to fresh air. Seek medical attention if irritation persists.

Ingestion:

Overdose symptoms may include Nausea, vomiting, diarrhea, and abdominal cramps may result from excessive salt consumption. Profuse water loss can cause unusually high blood sodium levels ('hypernatremia') with symptoms such as dizziness, low blood pressure, and reduced urine production. Serious cases may result in swelling (edema), heightened blood pressure, increased heart rate, breathing trouble, convulsions, coma, and death. If victim is conscious and alert, give plenty of water to drink and do not induce vomiting. Seek immediate medical attention if overdose symptoms appear. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist.

Medical conditions possibly aggravated by exposure:

Kidney conditions, hypertension.

Section 5. FIRE-FIGHTING MEASURES

Flammable Properties:	Not flammable
Flash Point:	Not determined
Suitable Extinguishing Media:	Extinguishing measures suitable to local circumstances and the surrounding environment
Hazardous Combustion Products:	Sodium oxides, hydrogen chloride gas
<u>Explosion Data:</u>	
Sensitivity to Mechanical Impact:	Not sensitive
Sensitivity to Static Discharge:	Not sensitive
Unusual fire/explosion hazards:	None known
Protective Equipment and Precautions for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand. NIOSH (approved or equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes, and clothing.
Personal Protective Equipment:	Minimum - safety glasses, gloves, and a dust respirator.
Emergency Procedures:	NA
Methods for Containment:	Prevent further leakage or spillage if safe to do so.
Methods for Clean Up:	Avoid dust formation; clean up released material using vacuum or wet sweep and shovel to minimize generation of dust. Bag and transfer to properly labeled containers. Ventilate area and wash spill site after material pickup is complete.
Environmental Precautions:	Prevent material from entering waterways.
Other:	If product is contaminated, use PPE and containment appropriate to the nature of the most toxic chemical/material in the mixture.

Section 7. HANDLING AND STORAGE

Personal Precautions:	Use appropriate PPE when handling or maintaining equipment, and wash thoroughly after handling (see Section 8).
Conditions for Safe Storage:	Keep product in original container or extinguisher. Contents may be under pressure – inspect for

Incompatible Products:
 Hazardous Decomposition Products:
 Hazardous Polymerization:

extinguisher rust periodically to ensure container integrity.
 Strong oxidizers. Reactive with metals, acids.
 Chloride, sodium oxides
 Will not occur

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	OSHA PEL	ACGIH TLV	DFG MAK *	EU BLV
Sodium chloride	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Fullers earth	20 mppcf***	3 mg/m ³ respirable fraction	-----	NA
Mica	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Zeolite	80 mg/m ³ % SiO ₂	10 mg/m ³	4 mg/m ³	NA
Silica	PNOC Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA
Magnesium stearate octadecanoic acid, Mg salt	PNOC** Total dust, 15 mg/m ³ Respirable fraction, 5 mg/m ³	PNOC Total dust, 10 mg/m ³ Respirable fraction, 3 mg/m ³	PNOC Total dust, 4 mg/m ³ Respirable fraction, 1.5 mg/m ³	NA

*German regulatory limits **PNOC = Particulates not otherwise classified (ACGIH) also known as Particulates not otherwise regulated (OSHA) *** NR = Not Regulated. All values are 8 hour time weighted average concentrations.

Engineering Controls:

Showers
 Eyewash stations
 Ventilation systems

Personal Protective Equipment – PPE Code E:



Eye/Face Protection:	Tightly fitting safety goggles. Contact lens may absorb and concentrate irritants; if this problem occurs, a workplace policy should be determined.
Skin and Body Protection:	Wear protective coveralls, rubber boots, PVC gloves. Use barrier cream and skin cleaning cream if concentrations are high enough to cause mild irritation.
Respiratory Protection:	If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Use N95 dust mask for limited exposure, use air-purifying respirator (APR) with high efficiency particulate air (HEPA) filters for prolonged exposure. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. The need for respiratory protection is not likely for short-term use in well ventilated areas.
Hygiene Measures:	Good personal hygiene practices essential, such as avoiding food, tobacco products, or other hand-to-mouth contact when handling. Wash thoroughly after handling.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Fine crystals, off-white
Molecular Weight:	58.44 g/mol (Sodium Chloride)
Odor:	None
Odor Threshold:	Not Applicable
Decomposition Temperature °C:	Not Applicable
Freezing Point °C:	NA
Initial Boiling Point °C:	1413
Physical State:	Crystalline Powder
pH:	Approximately 6.7 – 7.3 for a 10% solution
Flash Point °C:	None
Autoignition Temperature °C:	None
Boiling Point/Range °C:	695.7
Melting Point/Range °C:	804
Flammable:	Not Flammable
Flammability Limits in Air °C:	Upper – Not Flammable; Lower-Not Flammable
Explosive Properties:	None
Oxidizing Properties:	None
Volatile Component (%vol)	Not Applicable
Evaporation Rate:	Not Applicable
Vapor Density:	Not Applicable

Vapor Pressure:	< 1 mm Hg
Specific gravity:	Approximately 2.165
Solubility:	Miscible
Partition Coefficient:	No Information Available
Viscosity:	Not Applicable

Section 10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage and handling conditions.
Reactivity:	Generally unreactive.
Incompatibles:	Strong oxidizers.
Conditions to Avoid:	Storage or handling near incompatibles.
Hazardous Decomposition Products:	Heat of fire may release chlorine compounds and oxides of sodium.
Possibility of Hazardous Reactions:	None
Hazardous Polymerization	Does not occur

Section 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation, skin and eye contact. Ingestion
Symptoms:	
Immediate:	
Inhalation:	Irritation, coughing.
Eyes:	Irritation.
Skin:	Irritation.
Ingestion:	May cause irritation of gastrointestinal tract.
Delayed:	Symptoms may be delayed
Acute Toxicity:	Slightly toxic.
Chronic Toxicity:	
Short-term Exposure:	None known.
Long-term Exposure:	As with all dusts, pneumoconiosis, or "dusty lung" disease, may result from chronic exposure.

Acute Toxicity Values - Health

Chemical Name	LD50		LC50 (Inhalation)
	Oral	Dermal	
Sodium chloride	3000 mg/kg (rat); (TDL human 12357 mg/kg/23d)	10000 mg/kg (rabbit)	None
Fullers earth	None	None	None
Mica	None	None	None
Zeolite	None	None	None
Silica	None	None	None
Magnesium stearate octadecanoic acid, Mg salt	None	None	None

Reproductive Toxicity:

This product's ingredients are not known to have reproductive or teratogenic effects.

Target Organs and Effects (TOST):

Respiratory system (mild irritant).

This product is a mild irritant to epithelial tissue, (eyes, mucous membranes, skin) and may aggravate dermatitis. No information was found indicating the product causes sensitization. May be a kidney toxicant at high doses. May cause pulmonary edema and respiratory arrest at very high doses.

Other Toxicity Categories

Chemical Name	Germ Cell Mutagenicity	Carcinogenicity	Reproductive	TOST Single Exp	TOST Repeated Exp	Aspiration
Sodium chloride	None	None	None	None	None	None
Fullers earth	None	None	None	None	None	None
Mica						
Zeolite	None	None	None	None	None	None
Silica	None	None	None	None	None	None
Magnesium stearate octadecanoic acid, Mg salt	None	None	None	None	None	None

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:

Can be toxic in high concentrations.

Persistence/Degradability:

Degrades rapidly to chloride ion in wet environments, but the chloride ion is very persistent.

Probability of rapid biodegradation:

Est: 0.731 (Rapid)

Anaerobic biodegradation probability:

Est: 0.836 (Rapid)

Bioaccumulation potential:

Low.

Bioconcentration factor:

3.16 L/kg

Bioaccumulation Potential:

Low. CT50 (days): LogP<3

Mobility in soil:

Log Koc: Est -0.400

Log Koa:

Not applicable

Log Kaw: Not applicable
 Atmospheric oxidation half-life: 20.6 days
 Level III Fugacity Model: No information

Other Adverse Ecological Effects: No other known effects at this time

Aquatic Toxicity Values - Environment

Chemical Name	Acute (LC50)	Chronic (LC50)
Sodium chloride	9,498 (96h)-Rainbow Trout	Cat IV; 1300 mg/l (rainbow trout), 670 mg/l (water flea)
Fullers earth	N/A	N/A
Mica	N/A	N/A
Zeolite		
Silica	N/A	N/A
Magnesium stearate octadecanoic acid, Mg salt	N/A	N/A

Aquatic Toxicity Values – Calculated Estimates

Chemical Name	Acute (LC50)	EC50
Sodium chloride	597 mg/l Fish 96hr 296 mg/l Daphnia 48 hr	597 mg/l Gr Algae 96hr
Fullers earth	N/A	N/A
Mica	N/A	N/A
Zeolite		
Silica	N/A	N/A
Magnesium stearate octadecanoic acid, Mg salt	N/A	N/A

Section 13. DISPOSAL CONSIDERATIONS

Safe Handling Keep formation of airborne dust to a minimum. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Use appropriate PPE when handling, and wash thoroughly after handling (see Section 8).

Waste Disposal Considerations Dispose in accordance with federal, state, and local regulations.

Contaminated Packaging Dispose in accordance with federal, state, and local regulations.

NOTES:

This product is not a RCRA characteristically hazardous or listed hazardous waste. Dispose of according to state or local laws, which may be more restrictive than federal laws or regulations. Used product may be altered or contaminated, creating different disposal considerations.

Section 14. TRANSPORT INFORMATION

UN Number: NA
 UN Proper Shipping Name: NA
 Transport Hazard Class: NA
 Packing Group: NA
 Marine Pollutant?: NA

IATA Not regulated

DOT Not regulated

NOTES:

This product is not defined as a hazardous material under U.S. Department of Transportation (DOT) 49 CFR 172, or by Transport Canada "Transportation of Dangerous Goods" regulations.

Special Precautions for Shipping:

If shipped in a stored pressure-type fire extinguisher, and pressurized with a non-flammable, non-toxic inert expellant gas, the fire extinguisher is considered a hazardous material by the US Department of Transportation and Transport Canada. The proper shipping name shall be FIRE EXTINGUISHER and the UN designation is UN 1044. The DOT hazard class is Limited Quantity when pressurized to less than 241 psig and when shipped via highway or rail. Use a Non-Flammable gas label (class 2.2) when shipping via air.

Section 15. REGULATORY INFORMATION

International Inventory Status: Sodium chloride is on the following inventories

Country(ies)	Agency	Status
United States of America	TSCA	Yes
Canada	DSL	Yes
Europe	EINECS/ELINCS	Yes
Australia	AICS	Yes
Japan	MITI	Yes
South Korea	KECL	Yes

REACH Title VII Restrictions: No information available

Chemical Name	Dangerous Substances	Organic Solvents	Harmful Substances Whose Names Are to be Indicated on Label	Pollution Release and Transfer Registry (Class II)	Pollution Release and Transfer Registry (Class I)	Poison and Deleterious Substances Control Law
Sodium Chloride	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Component	ISHA – Harmful Substances Prohibited for Manufacturing, Importing, Transferring, or Supplying	ISHA – Harmful Substances Requiring Permission	Toxic Chemical Classification Listing (TCCL) – Toxic Chemicals	Toxic Release Inventory (TRI) – Group I	Toxic Release Inventory (TRI) – Group II
Sodium chloride	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Fullers earth	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mica	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Zeolite	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Silica	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Magnesium stearate octadecanoic acid, Mg salt	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

European Risk and Safety phrases:

EU Classification: Irritant

R Phrases:	20	Harmful by inhalation.
	36/37	Irritating to eyes, respiratory system.
S Phrases:	22	Do not breath dust.
	24/25	Avoid contact with skin and eyes
	26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	36	Wear suitable protective clothing.

U.S. Federal Regulatory Information:

SARA 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) - This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

None of the chemicals in this product are under SARA reporting requirements or have SARA threshold planning quantities (TPQs) or CERCLA reportable quantities (RQs), or are regulated under TSCA 8(d).

SARA 311/312 Hazard Categories:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard-*	Yes
Reactive Hazard	No

* - Only applicable if material is in a pressurized extinguisher.

Clean Water Act:

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPs) under Section 112 of the Clean Air Act Amendments of 1990.

U.S. State Regulatory Information:

Chemicals in this product are covered under specific State regulations, as denoted below:

Alaska - Designated Toxic and Hazardous Substances: None

California – Permissible Exposure Limits for Chemical Contaminants: None

Florida – Substance List: Mica Dust **Illinois**

– Toxic Substance List: None **Kansas** –

Section 302/303 List: None **Massachusetts** –

Substance List: Mica Dust

Minnesota – List of Hazardous Substances: None

Missouri – Employer Information/Toxic Substance List: None

New Jersey – Right to Know Hazardous Substance List: None

North Dakota – List of Hazardous Chemicals, Reportable Quantities: None

Pennsylvania – Hazardous Substance List: None

Rhode Island – Hazardous Substance List: Mica Dust

Texas – Hazardous Substance List: No

West Virginia – Hazardous Substance List: None

Wisconsin – Toxic and Hazardous Substances: None

California Proposition 65: No component is listed on the California Proposition 65 list.

Other:

Canada – WHMIS Hazard Class

No component listed

Section 16. OTHER INFORMATION

This SDS conforms to requirements under U.S., U.K., Canadian, Australian, and EU regulations or standards, and conforms to the proposed 2003 ANSI Z400.1 format.

Issuing Date	17-June-2012
Revision Date	23-October-2013
Revision Date	06-January-2015
Revision Notes	None

The information herein is given in good faith but no warranty, expressed or implied, is made.
Updated by William F. Garvin, CIH.